



## Standard MANOSKOP® torque wrench w. permanently installed QuickRelease ratchet

### 721QR Quick



Art.No. 50204115  
GTIN 4018754268955  
Model 721QR/15 QUICK



#### Label.

Standard MANOSKOP torque wrench w. permanently installed QuickRelease ratchet  
No. 721QR Quick Values only for in-lb 30-150Nm Output 1/2" L. 452,5mm

#### Description.

- Triggering
- Flash adjustment by easy-to-operate clamping lever in the handle
- ergonomically shaped, non-slip adjustment element with thumb recess
- integrated magnifying glass in the reading window
- optimised ball handle for fatigue-free working
- double stop signal
- double scale N-m/ft-lb
- no resetting to "0" required, since the measuring element is only loaded during the tightening process
- Continued loading after release or loads in the opposite direction to the functional direction, e.g. in the case of stuck bolts.
- Continued load after triggering or loads against the functional direction, e.g. with stuck screws, do not act on the trigger mechanism, which is thus protected against damage.
- Protection of all sensitive parts by the robust steel tube housing
- Calibration with the perfectControl calibration device no. 7794 or the calibration system no. 7706. If necessary, readjustment without disassembly.
- Display deviation  $\pm 4\%$
- With certificate

## Advantages.


Fast setting with easy-to-operate clamping lever in the handle, integrated lens for better readability of the set value

Ergonomically shaped, non-slip adjustment element with thumb recess and optimised ball handle for fatigue-free work

Efficient. No reset to "0" necessary, as measuring element is only strained during the tightening process

Releasing torque wrench with permanently installed 1/2" QuickRelease ratchet, double stop signal (tactile and audible), left-hand tightening by turning over the plug-in tools

## Technical Drawing.



## Technical Attributes.

Output square drive outside (inch)	1/2"
b1	28 mm
b2	41 mm
Breite mm (b)	43 mm
Size	15
Height mm (h)	40 mm
Height mm (h1)	23 mm
Height mm (h2)	18 mm
Länge mm (l)	452,5 mm
LF	387 mm
Lowest value of measurement range N·m	30 N·m
Measuring range ft·lb	25-110 ft·lb
Measuring range N·m	30-150 N·m
Nominal value N·m	150 N·m
Scale division [E1]	5 N·m
Scale division [E2]	5 ft·lb

## Logistics data.

Length (IFS)	455
Width (IFS)	43
Height (IFS)	40
Length (packed, mm)	475
Width (packed, mm)	45
Höhe (verpackt, mm)	45
Code	50204115
Weight	1268 g
Weight (gross, kg)	1,378
Weight PAP (kg)	0,000
Weight PVC (kg)	0,011
GTIN	4018754268955
Numbers of content units per order units	1
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100

## Varianten.

Code	Article number (ERP)	Article description (Autom._)	GTIN
50204115	721QR/15 QUICK	Standard MANOSKOP torque wrench w.permanently installed QuickRelease ratchet No. 721QR Quick Values only for in-lb 30-150Nm Output 1/2" L. 452,5mm	4018754268955
50204120	721QR/20 QUICK	Standard MANOSKOP torque wrench w.permanently installed QuickRelease ratchet No. 721QR Quick Values only	4018754268962

for in-lb 40-200Nm Output 1/2" L.  
482mm

## GTIN-Code.



## Images.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal