



Charger Lithium 2

7162

Art.No. **54100062**
 GTIN **4018754322985**
 Model **7162**

Label. Charger Lithium 2 f. 701, TORSIOTRONIC

Advantages.

Versatile charger for AA and AAA battery types

Technical Attributes.

Output voltage	3,7 V
Input voltage	4.75-5.25 V
For no.	701, TORSIOTRONIC

Logistics data.

Length (IFS)	195
Width (IFS)	80
Height (IFS)	40
Length (packed, mm)	195
Width (packed, mm)	80
Höhe (verpackt, mm)	40
Code	54100062
Weight	75 g
Weight (gross, kg)	0,148
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754322985
Numbers of content units per order units	1
Country of origin	OHNE
Region of origin	Ausländischer Ursprung
Customs tariff no.	85044083

Varianten.

Code	Article number (ERP)	Article description (Autom._)	GTIN
54100062	7162	Charger Lithium 2 f. 701, TORSIOTRONIC	4018754322985

GTIN-Code.



Accessories.



51070060
Torque screwdriver
TORSIOTRONIC



51070030
Torque screwdriver
TORSIOTRONIC



51070100
Torque screwdriver
TORSIOTRONIC



51070012
Torque screwdriver
TORSIOTRONIC



96510712
Electromechanical
torque screwdriver



96510730
Electromechanical
torque screwdriver



96510760
Electromechanical
torque screwdriver



96510700
Electromechanical
torque screwdriver



96511712
Electromechanical
torque screwdriver



96511730
Electromechanical
torque screwdriver



96511760
Electromechanical
torque screwdriver



96511700
Electromechanical
torque screwdriver



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal