

Torque spanner MANOSKOP®

730R



Art.No. **96501054**
 GTIN **4018754339976**
 Model **730R/2-1 Quick**

Label. Torque spanner MANOSKOP No. 730R Values only for in-lb 2-10Nm Output 1/4" L. 250mm

Description.

- triggering
- No reset to "0" necessary, as measuring element is only loaded during the tightening process
- receptacle for interchangeable plug-in tools
- QuickRelease safety lock
- Flash adjustment by easy-to-operate clamping lever in the handle
- ergonomically shaped, non-slip adjustment element with thumb recess
- optimised ball handle for fatigue-free working
- double stop signal
- double scale N-m/ft-lb or N-m/in-lb
- on request also available as N-m version only without double scale
- Left-hand tightening by turning over the plug-in tools
- Further loads after triggering or loads against the functional direction, e.g. with stuck screws, do not affect the triggering mechanism, which is thus protected against damage
- Calibration with the perfectControl® calibration device no. 7794 or the calibration system no. 7706. If necessary, readjustment without disassembly
- Certificate according to DIN EN ISO 6789-2:2017
- Display deviation $\pm 4 \%$

Advantages.

Releasing

Technical Attributes.

Output square drive outside (inch) 1/4"

Logistics data.

Length (packed, mm) 250
 Width (packed, mm) 60

| | | | |
|----------------------------|----------|---|---------------------|
| Breite mm (b) | 60 mm | Höhe (verpackt, mm) | 55 |
| Height mm (h) | 55 mm | Code | 96501054 |
| Länge mm (l) | 250 mm | Weight | 480 g |
| Measuring range N-m | 2-10 N·m | Weight (gross, kg) | 0,450 |
| | | Weight PAP (kg) | 0,000 |
| | | Weight PVC (kg) | 0,013 |
| | | GTIN | 4018754339976 |
| | | Numbers of content units per order units | 1 |
| | | Region of origin | Nordrhein-Westfalen |
| | | Customs tariff no. | 82041100 |

Parts list.



91100546

91381054
Torque wrench

Varianten.

| Code | Article number (ERP) | Article description (Autom.) | GTIN |
|----------|----------------------|---|---------------|
| 96501054 | 730R/2-1 Quick | Torque spanner MANOSKOP No. 730R Values only for in-lb 2-10Nm Output 1/4" L. 250mm | 4018754339976 |
| 96504002 | 730R/2 QUICK | SERVICE-MANOSKOP torque wrench No. 730R Values only for in-lb 4-20Nm Output 1/4" L. 255mm | 4018754311354 |
| 96504004 | 730R/4 QUICK | Torque spanner MANOSKOP No. 730R Values only for in-lb 8-40Nm Output 3/8" L. 285mm | 4018754311361 |
| 96504005 | 730R/5 QUICK | SERVICE-MANOSKOP torque wrench No. 730R Values only for in-lb 6-50Nm Output 3/8" L. 380mm | 4018754269488 |
| 96504010 | 730R/10 QUICK | Torque spanner MANOSKOP No. 730R Values only for in-lb 20-100Nm Output 1/2" L. 430mm | 4018754269495 |
| 96504012 | 730R/12 QUICK | SERVICE-MANOSKOP torque wrench No. 730R Values only for in-lb 25-130Nm Output 1/2" L. 475mm | 4018754269501 |

| | | | |
|----------|-----------------|---|---------------|
| 96504020 | 730R/20 QUICK | SERVICE-MANOSKOP torque wrench No. 730R Values only for in-lb 40-200Nm Output 1/2" L. 530mm | 4018754269518 |
| 96504030 | 730R/30 QUICK | Torque spanner MANOSKOP No. 730R Values only for in-lb 60-300Nm Output 1/2" L. 590mm | 4018754326006 |
| 96504040 | 730R/40 QUICK | Torque spanner MANOSKOP No. 730R Values only for in-lb 80-400Nm Output 3/4" L. 675mm | 4018754269525 |
| 96504565 | 730RII/65 QUICK | Torque spanner MANOSKOP No. 730R Values only for in-lb 130-650Nm Output 3/4" L. 1125mm | 4018754269563 |

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
 info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
 Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal