



Electronic SENSOTORK® torque wrench w.reversible ratchet insert tool

712R/6



Art.No. 96501506
GTIN 4018754156474
Model 712R/6


Label.

Electronic SENSOTORK torque wrench w.reversible ratchet insert tool No. 712R/6
Values only for in-lb 3-60Nm Output 3/8" L. 378mm

Description.

- simple, flexible operation thanks to operator guidance on large-format display
- very broad measuring range (5% to 100% of rated value)
- supplied with insert tool reversible ratchet
- more insert tools
- QuickRelease safety lock
- for clockwise and anticlockwise torquing
- measurements independent of the point of application of force
- units of measurement: N·m, ft·lb, in·lb
- advance warning points programmable for visual, tactile and acoustic signals
- backlit display aids evaluation of the tightening operation (traffic-light colours)
- insert tool lengths can be individually set
- maintenance friendly due to easy adjustment and automatic reminder of next calibration date
- repeated joints can be collated to form a single menu-guided sequence
- tightening jobs are stored with a timestamp
- individual identification markings possible
- password protection to prevent inadvertent changes and make the tool tamper-proof
- meets requirements of DKD-R 3-7, Class 2
- with 2 certificates (torque in accordance with DIN EN ISO 6789-2:2017/angle)
- in sturdy plastic box (size 40 in tough steel box)
- supplied with two 1.5 V AA batteries. AA/LR6, 1.2 V NiMH rechargeable cells may also be used
- fully automated calibration (torque) using perfectControl® calibrating unit No 7794-2. Readjustment does not require disassembly.
- registered design
- **display deviation value $\pm 1\%$**

Technical Drawing.



Technical Attributes.

Output square drive outside (inch)	3/8"
Breite mm (b)	33 mm
Weight with box	1500 g
Size hexagon socket [internal square]	9x12 mm
Height mm (h)	24 mm
Länge mm (l)	378 mm
LF	299 mm
Lowest value of measurement range N·m	3 N·m
Measuring range ft·lb	2,5-44 ft·lb
Measuring range N·m	3-60 N·m
Nominal value N·m	60 N·m
SF	17,5 mm

Logistics data.

Code	96501506
Weight	856 g
GTIN	4018754156474
Numbers of content units per order units	1
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100

Varianten.

Code	Article number (ERP)	Article description (Autom._)	GTIN
96501506	712R/6	Electronic SENSOTORK torque wrench w.reversible ratchet insert tool No. 712R/6 Values only for in-lb 3-60Nm Output 3/8" L. 378mm	4018754156474

GTIN-Code.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal