



Service/Series MANOSKOP® torque wrench w.mount for insert tools

730D



Art.No. 96501710
GTIN 4018754180318
Model 730D/10

Label.

Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 10-100Nm Output L. 467mm


Description.

- tactile and acoustic trigger signal
- mount for interchangeable insert tools
- QuickRelease safety lock
- fast setting using convenient keypad
- automatic compensation to achieve correct tightening torque even if a changed extension is entered
- overload protection by means of acoustic and visual signals
- automatic keypad lock prevents inadvertent changes
- display also works for anticlockwise torque
- units of measurement: N·m, ft·lb, in·lb
- different tolerance limits can be set for each joint
- visual red and green signals in the display confirm the status of the joint
- additional security for presets (function mode, trigger or preset value, unit of measurement, tolerance, save, deviating extension) using PIN code
- up to 7.500 measurements can be stored
- USB interface
- automatic notification of the next calibration date
- calibration using perfectControl® calibrating unit No 7794 or calibration system No 7791
- two-component handle with ergonomically designed green softer layers (resistant to oils, grease, fuels, brake fluids and skydrol)
- certificate in accordance with DIN EN ISO 6789-2:2017
- in sturdy plastic box (sizes 40-100 in steel box)
- patent
- supplied with two 1.5 V AA batteries. AA/LR6, 1.2 V rechargeable cells may also be used
- **display deviation value $\pm 2\%$, ± 1 digit**

Advantages.

Tactile and acoustic trigger signal

Technical Drawing.



Technical Attributes.

| | |
|---------------------------------------|------------------|
| Battery type | Mignon (AA) 1,5V |
| Breite mm (b) | 28 mm |
| Setting/display resolution ft·lb | 0,2/0,1 ft·lb |
| Setting/display resolution in·lb | 2/1,0 in·lb |
| Setting display resolution N·m | 0,2/0,1 N·m |
| Weight with box | 1510 g |
| Size | 10 |
| Size hexagon socket [internal square] | 9x12 mm |
| Height mm (h) | 23 mm |
| Länge mm (l) | 467 mm |
| LF | 426,5 mm |
| Lowest value of measurement range N·m | 10 N·m |
| Measuring range ft·lb | 7,4-75 ft·lb |
| Measuring range in·lb | 90-900 in·lb |
| Measuring range N·m | 10-100 N·m |
| Nominal value N·m | 100 N·m |
| SF | 17,5 mm |

Logistics data.

| | |
|--|---------------------|
| Length (IFS) | 500 |
| Width (IFS) | 90 |
| Height (IFS) | 65 |
| Length (packed, mm) | 560 |
| Width (packed, mm) | 95 |
| Höhe (verpackt, mm) | 70 |
| Code | 96501710 |
| Weight | 1085 g |
| Weight (gross, kg) | 1,785 |
| Weight PAP (kg) | 0,095 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754180318 |
| Numbers of content units per order units | 1 |
| Country of origin | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Customs tariff no. | 82041100 |

Parts list.



81370002
Plastic case, empty



83071004
Inlay for plastic case

Varianten.

| Code | Article number (ERP) | Article description (Autom.) | GTIN |
|----------|----------------------|--|---------------|
| 96501710 | 730D/10 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 10-100Nm Output L. 467mm | 4018754180318 |
| 96501720 | 730D/20 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 20-200Nm Output L. 548mm | 4018754180325 |
| 96501740 | 730D/40 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 40-400Nm Output L. 688mm | 4018754180332 |
| 96501765 | 730D/65 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 65-650Nm Output L. 870mm | 4018754187621 |
| 96501965 | 730DII/65 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 65-650Nm Output L. 892mm | 4018754240074 |
| 96502080 | 730D/80 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 80-800Nm Output L. 1160mm | 4018754240098 |
| 96502100 | 730D/100 | Service/Series MANOSKOP torque wrench w.mount for insert tools No. 730D Values only for in-lb 100-1000Nm Output L. 1344mm | 4018754240104 |

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.de · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal